EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	97277	("375").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/15 11:35
L4	198	((filter\$4 with control\$4 with (disabl\$4 or stop or off or (by near pass) or skip or chang\$3 or modify)) with distortion) and (@pd<"20040427" or @ad<"20040427" or @prad<"20040427" or @rlad<"20040427")	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2010/01/15 11:35
L5	57	L4 and L3	US-PGPUB; USPAT	A DJ	ON	2010/01/15 11:35
L6	165	(analog near2 filter) with (digital\$2 near2 filter\$2) with (frequenc\$4 near2 conversion \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2010/01/15 11:35
L7	63	L6 and L3	US-PGPUB; USPAT	ADJ	ON	2010/01/15 11:35
L8	39	(digital adj2 filter) with switch \$3 with (power near3 signal \$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2010/01/15 11:36
L9	2	L8 and L3	US-PGPUB; USPAT	ADJ	ON	2010/01/15 11:36
L10	962	(digital near2 filter)same (error or distortion\$2 or noise \$1) same(on or off or disabl \$3)	US-PGPUB; USPAT	ADJ	ON	2010/01/15 11:37
L11	221	L10 and L3	US-PGPUB; USPAT	ADJ	ON	2010/01/15 11:37
S1	194	((filter\$4 with control\$4 with (disabl\$4 or stop or off or (by near pass) or skip or chang\$3 or modify)) with distortion) and (@pd<"20040427" or @ad<"20040427" or @prad<"20040427" or @rlad<"20040427")	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/03/31 08:54
S6	130	S1 not audio	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/03/31 09:01

S12	12519	(frequenc\$4 near2 conversion \$1 or modif\$3) same (maintain\$2 or control\$1) same (amplitud\$3 or power \$2 near2 level\$2 or balance \$3)	US-PGPUB; USPAT	ADJ	ON	2009/03/31 11:51
S14	163	S12 and (filter\$4 with control \$2 near2 unit\$2)	US-PGPUB; USPAT	ADJ	ON	2009/03/31 11:53
S16	1	("6650701").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/31 12:08
S17	1	("20030053552").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/31 12:09
S25	12519	(frequenc\$4 near2 conversion \$1 or modif\$3) same (maintain\$2 or control\$1) same (amplitud\$3 or power \$2 near2 level\$2 or balance \$3)	US-PGPUB; USPAT	ADJ	ON	2009/03/31 17:07
S26	2524	S25 and (filter\$4 with control \$2)	US-PGPUB; USPAT	ADJ	ON	2009/03/31 17:07
S27	133	(analog near2 filter) same (digital\$2 near2 filter\$2) with (frequenc\$4 near2 conversion \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/03/31 17:50
S28	133	S27 and ay@<"2004"	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/03/31 17:51
S29	13	S27 and @ay<"2004"	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/03/31 17:52
S30	2812	(frequenc\$4 near2 conversion \$1 or modif\$3) with (maintain \$2 or control\$1) with(amplitud \$3 or power\$2 near2 level\$2 or balance\$3)	US-PGPUB; USPAT	ADJ	ON	2009/03/31 18:01
S32	131	(analog near2 filter) with (digital\$2 near2 filter\$2) with (frequenc\$4 near2 conversion \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/03/31 18:02
S33	5757	(analog near2 filter) with (digital\$2 near2 filter\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/03/31 18:13
\$34	34	S33 and (digital near2 control near2 unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/03/31 18:14
S35	2	(mixer) with (analog near2 band near2 pass near2 filter) with (analog near2 digital near2 converter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/03/31 18:24

S36	51	(analog near2 band near2 pass near2 filter) with (analog near2 digital near2 converter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/03/31 18:53
S37	39	S36 and @ay<"2004"	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/03/31 18:53
S39	1860	(analog\$2 near2 filter\$) same (correct\$4 or reduc\$3 near2 distort\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/04/01 09:35
S41	10	S39 and (digital\$2 near2 control near2 unit\$3)	US-PGPUB; USPAT	ADJ	ON	2009/04/01 09:38
S42	868	S39 and (digital\$2 near2 filter)	US-PGPUB; USPAT	A DJ	ON	2009/04/01 09:40
S43	625	S42 and @ay<"2004"	US-PGPUB; USPAT	ADJ	ON	2009/04/01 09:43
S47	2494	(375/316).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/04/01 14:12
S48	194	((filter\$4 with control\$4 with (disabl\$4 or stop or off or (by near pass) or skip or chang\$3 or modify)) with distortion) and (@pd<"20040427" or @ad<"20040427" or @prad<"20040427" or @rlad<"20040427")	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/04/01 14:13
S50	423	S47 and (digital\$4 near2 filter \$3)	US-PGPUB; USPAT	ADJ	ON	2009/04/01 14:15
S51	18	S47 and (digital\$4 near2 filter \$3) same (control\$2 near2 unit\$3)	US-PGPUB; USPAT	ADJ	ON	2009/04/01 14:15
S54	27032	(digital near2 filter) and (error or distortion\$2 or noise \$1) and (control\$2)	US-PGPUB; USPAT	ADJ	ON	2009/04/01 14:43
S55	7	(digital near2 filter) near (error or distortion\$2 or noise \$1) near(control\$2)	US-PGPUB; USPAT	ADJ	ON	2009/04/01 14:44
S56	3802	(digital near2 filter)same (error or distortion\$2 or noise \$1) same(control\$2 or on or off or disabl\$3 or enabl\$4)	US-PGPUB; USPAT	ADJ	ON	2009/04/01 14:46
S57	1239	(digital near2 filter)same (error or distortion\$2 or noise \$1) same(on or off or disabl \$3 or enabl\$4)	US-PGPUB; USPAT	ADJ	ON	2009/04/01 14:47
S58	215	S57 and (control near2 unit)	US-PGPUB; USPAT	ADJ	ON	2009/04/01 14:48
S59	896	(digital near2 filter)same (error or distortion\$2 or noise \$1) same(on or off or disabl \$3)	US-PGPUB; USPAT	ADJ	ON	2009/04/01 14:50

S61	156	S58 and @ay<"2004"	US-PGPUB; USPAT	ADJ	ON	2009/04/01 14:54
S62	27	(disabl\$5 near2 filter\$4) same (filter\$4 near2 increase\$3 or rise\$3 near2 distort\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/04/01 18:13
S75	896	(digital near2 filter)same (error or distortion\$2 or noise \$1) same(on or off or disabl \$3)	US-PGPUB; USPAT	ADJ	ON	2009/04/02 11:35
S76	27	(disabl\$5 near2 filter\$4) same (filter\$4 near2 increase\$3 or rise\$3 near2 distort\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/04/02 11:35
S77	1	S75 and S76	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/04/02 11:35
S80	597	differ\$4 near2 recei\$5 near2 level\$2 near2 signal\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/04/02 11:46
S81	101	S80 and (control\$2 near2 unit \$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/04/02 11:46
S82	2	S80 and (digital\$2 near2 control\$2 near2 unit\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/04/02 11:47
S83	64	S81 and @ay<"2004"	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/04/02 11:50
S84	11	(disabl\$5 near2 filter\$4)with (filter\$4 near2 increase\$3 or rise\$3 near2 distort\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/04/02 13:16
S85	191	(enable\$3 near2 filter\$4) same (filter\$4 near2 increase \$3 or rise\$3 near2 distort\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/04/02 13:22
S86	1	(enable\$3 near2 digital\$4 near2 filter\$4) same (filter\$4 near2 increase\$3 or rise\$3 near2 distort\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/04/02 13:23
S87	140	S85 and @ay< "2004"	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/04/02 13:25
S88	8	((TAISEI) near2 (SUEMITSU)). INV.	EPO; JPO; DERWENT	ADJ	ON	2009/04/07 09:42
S89	53	((HIROYASU) near2 (SANO)). INV.	EPO; JPO; DERWENT	ADJ	ON	2009/04/07 09:43
S90	83	((SEIJI) near2 (OKUBO)).INV.	EPO; JPO; DERWENT	ADJ	ON	2009/04/07 09:43
S91	1	((KENTARO) near2 (GOTOU)). INV.	EPO; JPO; DERWENT	ADJ	ON	2009/04/07 09:43

S92	108	S88 or S89 or S90 or S91 and (digital near2 filter) same (error or distortion\$2 or noise \$1) near(control\$2)	US-PGPUB; USPAT; JPO	ADJ	ON	2009/04/07 09:49
S93	108	S88 or S89 or S90 or S91 and (digital near2 filter) with (error or distortion\$2 or noise \$1) with(control\$2 near2 unit) with (wireless near2 appratus) with (rece\$4 near2 level near2 detector)	US-PGPUB; USPAT; JPO	ADJ	ON	2009/04/07 09:53
S94	896	(digital near2 filter)same (error or distortion\$2 or noise \$1) same(on or off or disabl \$3)	US-PGPUB; USPAT	ADJ	ON	2009/04/07 09:56
S95	27	(disabl\$5 near2 filter\$4) same (filter\$4 near2 increase\$3 or rise\$3 near2 distort\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/04/07 09:56
S96	138	S88 or S89 or S90 or S91	USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/04/07 11:04
S97	5	((TAISEI) near2 (SUEMITSU)). INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/07 11:06
S98	20	((HIROYASU) near2 (SANO)). INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/07 11:06
S99	19	((SEIJI) near2 (OKUBO)).INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/07 11:07
S100	1	((KENTARO) near2 (GOTOU)). INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/07 11:07
S101	21	S97 or S98 Or S99 or S100	USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/04/07 11:07
S102	1	S97 and S98 and S99 and S100 and (digital near2 filter near2 control near2 unit).clm.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/07 11:32
S103	41	S97 or S98 or S99 or S100 and (digital near2 filter near2 control near2 unit).clm.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/04/07 11:33
S104	28	filter\$7 near2 (increas\$7 or rais\$7 or up\$3 or caus\$7) near2 (noise or interferenc\$7 or distort\$7 or distract\$7 or isi or (inter\$1symbol\$7)) with (("not" or no or dis\$1abl\$7 or skip\$7 or off or switch\$7) near2 filter\$7)	USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/04/07 11:40
S105	1	S97 and S98 and S99 and S100 and (digital near2 filter near2 control near2 unit).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	ADJ	ON	2009/04/07 11:42
S106	1	("4956568").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/07 14:12
S107	9	(signal\$3 near2 sampl\$5 near2 system\$2) same (strob \$3 near2 generat\$4)	US-PGPUB; USPAT	ADJ	ON	2009/04/07 14:18

S108	1	("4438404").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/07 14:34
S109	1444	(455/426.1).OCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/07 14:54
S110	2238	(455/422.1).OOLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/07 14:56
S111	552	(455/3.02).OOLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/07 15:14
S112	248	(455/316).OCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/07 15:28
S113	285	(455/3.05).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/07 16:04
S114	315	(455/20).OCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/07 16:11
S115	145	(455/21).OOLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/07 16:14
S116	241	(375/228).OCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/07 16:17
S117	1	"20070291885"	US-PGPUB; USPAT	ADJ	ON	2009/04/07 17:40
S118	171	(signal\$2 near2 sampl\$6 near2 system) same (first near2 sampl\$5) same (second near2 samp\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/04/07 17:47
S119	150	S118 and @ay<"2006"	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/04/07 17:48
S120	2	S119 and (strob\$3 near2 generat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/04/07 17:49
S121	3	"20040120421"	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/08/18 11:29
S122	3	"20020176364"	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2009/08/18 11:47
S123	2363	(375/316).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/18 13:41
S124	524	(375/317).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/18 15:54
S125	703	(375/329).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/18 15:55
S126	15	S123 and (threshold near4 compar\$3 near4 unit)	US-PGPUB; USPAT	ADJ	ON	2009/08/18 15:57
S127	4058	(digital near2 filter) same (error or distortion\$2 or noise \$1) same (control\$2 or on or off or disabl\$3 or enabl\$4)	US-PGPUB; USPAT	ADJ	ON	2009/12/22 12:09

S128	1188	(digital near2 filter) with (error or distortion\$2 or noise \$1) with (control\$2 or on or off or disabl\$3 or enabl\$4)	US-PGPUB; USPAT	ADJ	ON	2009/12/22 12:09
S129	168	S128 and ((amplitude or power) near2 level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/22 12:11
S130	123	S128 and ((amplitude or power) adj1 level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/22 12:11
S131	33	filter\$7 near2 (increas\$7 or rais\$7 or up\$3 or caus\$7) near2 (noise or interferenc\$7 or distort\$7 or or dis\$1abl\$7 or skip\$7 or off or switch\$7) near2 filter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/22 12:23
S132	9	S131 and ((power or amplitude) near2 (level\$3 or compar\$3 or match\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/22 12:25
S133	1	filter\$7 near2 (increas\$7 or rais\$7 or up\$3 or caus\$7) near2 (noise or interferenc\$7 or distort\$7 or distract\$7 or isi or (inter\$1symbol\$7)) with (("not" or no or dis\$1abl\$7 or skip\$7 or off or switch\$7) near2 filter) same ((amplitude or power) near2 level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/22 13:15
S134	2	filter\$7 near6 (increas\$7 or rais\$7 or up\$3 or caus\$7) near6 (noise or interferenc\$7 or distort\$7 or distract\$7 or isi or (inter\$1symbol\$7)) with (("not" or no or dis\$1abl\$7 or skip\$7 or off or switch\$7) near2 filter) same ((amplitude or power) near2 level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/22 13:16
S135	267	filter\$7 near6 (("not" or no or dis\$1abl\$7 or skip\$7 or off or switch\$7) near2 filter) same ((amplitude or power) near2 level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/22 13:30

S136	234	filter\$7 near2 (("not" or no or dis\$1abl\$7 or skip\$7 or off or switch\$7) near2 filter) same ((amplitude or power) near2 level)	USPAT; EPO; JPO;	ADJ	ON	2009/12/22 13:30
S137	234	or dis\$1abl\$7 or skip\$7 or off or switch\$7) near2 filter)	, , - , - ,	ADJ	ON	2009/12/22 13:32
S138	4	(("not" or no or dis\$1abl\$7 or skip\$7 or off or switch\$7)	USPAT; EPO; JPO; DERWENT;	ADJ	ON	2009/12/22 13:37
S140	39	(digital adj2 filter) with switch \$3 with (power near3 signal \$1)		ADJ	ON	2010/01/06 10:49

1/15/2010 11:38:54 AM

C:\ Documents and Settings\ shaider1\ My Documents\ EAST\ Workspaces\ 10588439.wsp